Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	("6381646").URPN.	USPAT	OR	ON	2004/12/10 06:27
L2	4218	network\$ with address\$ with translat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 06:50
L3	30102	(unknown or "not supported" or "not support" or "not known" or "not identified" or "not defined" or "new " or future) with protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 06:52
L4	792	L2 and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 06:52
L5	337	L4 and @ad<"20011028" and @ad>"19971028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 06:53
L6	45764	packet\$ and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 06:54
L7	238	L5 and L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 06:55
L8	12436	(IP with address\$) and bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 06:55
L9	163	L7 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 06:55
L10	162	L9 and (time or timing or duration or hour or date or second or minute or clock or expir\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 09:12

L11	2	("6618757").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 09:12
S1	1103	713/201.ccls. and @ad<"19991028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 12:56
S2	10604	"713"/\$.ccls. and @ad<"19991028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 11:53
S3	932851	network or internet or intranet or IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; JBM_TDB	OR	ON	2004/05/17 11:54
S4	5693242	address or port or sign or number or socket or location or URL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 11:54
S5	4109608	translat\$5 or interpret\$ or receiv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 11:55
S6	85972	"NAT " or "GPN "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 11:50
S7	51459	(network or internet or intranet or IP) with (address or port or sign or number or socket or location or URL) with (translat\$5 or interpret\$ or receiv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 11:58
S8	853379	protocol or language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 12:55
S9	1471016	client or user or custormer or foreign or intiat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 11:58

S10	1309245	packet or stream or byte or bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 12:53
S11	785355	entry or definiction or association or paramater or pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 11:58
S12	6301084	outgoing or incoming or sending or receiving or signal\$5 or transmission\$ or transport\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 11:59
S13	2717917	table or database or list or SPI or index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 11:59
S14	5881485	time or expir\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 11:59
S15	2606178	security or key or cookier or AH or authenticat\$5 or ESP or tunnel or VPN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 12:00
S16	4745684	leas\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 12:00
S17	15052	"network address"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 12:52
S19	181768	unknown or "not supported" or "not support" or "not known" or "not identified" or "not defined"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 06:51
S20	53249	(protocol or language) and (unknown or "not supported" or "not support" or "not known" or "not identified" or "not defined")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 12:55

S21	63	((protocol or language) and	US-PGPUB;	OB	ON	2004/05/17 12:55
321	0.3	((protocol or language) and (unknown or "not supported" or "not support" or "not known" or "not identified" or "not defined")) and "network address translator"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	UN	2004/05/17 12:55
S22	26	(((protocol or language) and (unknown or "not supported" or "not support" or "not known" or "not identified" or "not defined")) and "network address translator") and @ad<"19991028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 12:56
S23	29	"6041041".URPN.	USPAT	OR	ON	2004/05/17 13:23
S24	17	"6029203".URPN.	USPAT .	OR	ON	2004/05/17 13:23
S25	19	"6028848".URPN.	USPAT	OR	ON	2004/05/17 13:24
S26	27	"6023724".URPN.	USPAT	OR	ON:	2004/05/17 13:24
S27	0	"20030067926".URPN.	USPAT	OR	ON	2004/05/17 13:24
S28	0	"20030067926".URPN.	USPAT	OR	ON	2004/05/17 13:24
S29	0	"20020002621".URPN.	USPAT	OR	ON	2004/05/17 13:25
S30	42	"6055236".URPN.	USPAT	OR	ON	2004/12/09 15:25
S31	83	("6041041".URPN. or "6029203". URPN. or "6028848".URPN. or "6023724".URPN. or "6055236". URPN.) and @ad<"19991028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 13:27
S32	11	"network address translator" and (("6041041".URPN. or "6029203". URPN. or "6028848".URPN. or "6023724".URPN. or "6055236". URPN.) and @ad<"19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/17 13:27
S33	20	(translation and IPSec and Key and Management and packet and cookie)and @ad<"19991028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 09:25
S34	6006	IPSec or (IP with secur\$5) or (internet with protocol with secur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 09:29
S35	7803	(Key with protocol) or (Key with IP) or (Key with IPSec) or (key with cookie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/05/19 09:31
S36	470764	translator or router or bridge or (network with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 09:32

S37	319	(IPSec or (IP with secur\$5) or (internet with protocol with secur\$5)) and ((Key with protocol) or (Key with IP) or (Key with IPSec) or (key with cookie)) and (translator or router or bridge or (network with address)) and @ad<"19991028"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 09:33
538		((IPSec or (IP with secur\$5) or (internet with protocol with secur\$5)) and ((Key with protocol) or (Key with IP) or (Key with IPSec) or (key with cookie)) and (translator or router or bridge or (network with address)) and @ad<"19991028") and cookie	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 11:49
S39	4	(("6631402") or ("6697354")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 12:44
S40	1	((("6631402") or ("6697354")).PN.) and ((modif\$5 or chang\$5 or alter\$5 or configur\$5) with (translat\$5 or send\$5 or receiv\$5 or NAT or gate\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/09 12:47
S41	485	((IPSec or (IP with secur\$5) or (internet with protocol with secur\$5)) and protocol and @ad<"19991028") and authen\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 11:50
S42	86617	"NAT " or "GPN "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 11:51
S43	42	(((IPSec or (IP with secur\$5) or (internet with protocol with secur\$5)) and protocol and @ad<"19991028") and authen\$6) and ("NAT" or "GPN")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 11:51
S44	34	((((IPSec or (IP with secur\$5) or (internet with protocol with secur\$5)) and protocol and @ad<"19991028") and authen\$6) and ("NAT " or "GPN ")) and tunnel\$ and IPSec and NAT and TCP and UDP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/10 11:52
S52	55	"6055236".URPN.	USPAT	OR	ON	2004/12/09 15:25

S53	55	S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:25
S54	472	"network address translator"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:31
S55	662	network\$5 with address\$5 with translator\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:31
S56	427	S55 and NAT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:32
S57	3	(unknown or "un-known" or "not known" or "not same" or "not expected" or unlike) with (S55 or NAT) with protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:36
S58	4253	((unknown or "un-known" or "not known" or "not same" or "not expected" or unexpect\$5) with (protocol or protocal or format or bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:37
S59	9	S56 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:40
S60	2	"6597700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:40